

**Grooved End Valves - 300 PSI Body Rating - Electric Actuation**

**NEMA 4 120 VAC 2 Position Fail In Place Electric Actuator  
With De-Clutching Manual Hand Wheel Override**

Size	Body PSI	Valve Model Prefix	Close Off Against			
			50 PSI	100 PSI	150 PSI	200 PSI
2.0	300	VIC-020-0-	0051 \$ 1,081	0051 \$ 1,081	0051 \$ 1,081	0051 \$ 1,081
2.5	300	VIC-025-0-	\$ 1,145	\$ 1,145	\$ 1,145	\$ 1,145
3.0	300	VIC-030-0-	\$ 1,159	\$ 1,159	\$ 1,159	\$ 1,159
4.0	300	VIC-040-0-	\$ 1,227	\$ 1,227	\$ 1,227	\$ 1,227
5.0	300	VIC-050-0-	\$ 1,555	\$ 1,555	\$ 1,555	\$ 1,555
6.0	300	VIC-060-0-	0051 \$ 1,587	0051 \$ 1,587	0081 \$ 1,804	0081 \$ 1,804
8.0	300	VIC-080-0-	0081 \$ 2,041	0121 \$ 2,249	0121 \$ 2,249	0121 \$ 2,249
10.0	300	VIC-010-0-	0201 \$ 3,026	0201 \$ 3,026	0201 \$ 3,026	0301 \$ 3,326
12.0	300	VIC-120-0-	0301 \$ 3,521	0301 \$ 3,521	0501 \$ 3,935	0501 \$ 3,935

**Accessories - Add As Suffix to Model Number**

All Outdoor Applications	-H	0-10 vdc	
Heater	\$ 57	Modulating Applications	-M
		Servo	\$ 661

**Grooved End Valves - 300 PSI Body Rating - Pneumatic Actuation**

**Pneumatic Rack And Pinion Fail In Place 80 psi Actuators  
With 120 VAC Actuator Mounted Solenoid Air Valve**

Size	Body PSI	Valve Model Prefix	Close Off Against			
			50 PSI	100 PSI	150 PSI	200 PSI
2.0	300	VIC-020-0-	0083 \$ 629	0083 \$ 629	0083 \$ 629	0083 \$ 629
2.5	300	VIC-025-0-	\$ 693	\$ 693	\$ 693	\$ 693
3.0	300	VIC-030-0-	\$ 707	\$ 707	\$ 707	\$ 707
4.0	300	VIC-040-0-	\$ 775	\$ 775	\$ 775	\$ 775
5.0	300	VIC-050-0-	\$ 1,103	\$ 1,103	\$ 1,103	\$ 1,103
6.0	300	VIC-060-0-	\$ 1,135	\$ 1,135	\$ 1,135	\$ 1,135
8.0	300	VIC-080-0-	0092 \$ 1,427	0092 \$ 1,427	0118 \$ 1,547	0118 \$ 1,547
10.0	300	VIC-010-0-	0118 \$ 2,047	0118 \$ 2,047	0118 \$ 2,047	0118 \$ 2,047
12.0	300	VIC-120-0-	0127 \$ 2,316	0127 \$ 2,316	0160 \$ 2,633	0160 \$ 2,633

**Accessories - Add As Suffix to Model Number**

	-S	3 - 15 psi	
End Switches	\$ 176	Modulating Applications	-P
		Pilot Positioner	\$ 498

-P Applications Are Shipped Without Solenoid

**Grooved End Valves - 300 PSI Body Rating - Pneumatic Actuation**

**Pneumatic Rack And Pinion Fail Closed 80 psi Actuators**  
**With 120 VAC Actuator Mounted Solenoid Air Valve**

Size	Body PSI	Valve Model Prefix	Close Off Against			
			50 PSI	100 PSI	150 PSI	200 PSI
			0083/4	0083/4	0083/5	0083/6
2.0	300	VIC-020-1-	\$ 818	\$ 818	\$ 863	\$ 907
2.5	300	VIC-025-1-	\$ 882	\$ 882	\$ 926	\$ 971
3.0	300	VIC-030-1-	\$ 896	\$ 896	\$ 940	\$ 985
4.0	300	VIC-040-1-	\$ 965	\$ 965	\$ 1,009	\$ 1,054
			0092/5	0092/6	0118/4	0118/4
5.0	300	VIC-050-1-	\$ 1,430	\$ 1,482	\$ 1,513	\$ 1,513
6.0	300	VIC-060-1-	\$ 1,463	\$ 1,514	\$ 1,546	\$ 1,546
			0118/5	0118/5	0118/6	0127/5
8.0	300	VIC-080-1-	\$ 1,837	\$ 1,837	\$ 1,891	\$ 1,959
			0160/4	0160/4	0160/5	0160/5
10.0	300	VIC-010-1-	\$ 2,735	\$ 2,735	\$ 2,798	\$ 2,798
			0210/3	0210/3	0210/4	0210/4
12.0	300	VIC-120-1-	\$ 3,440	\$ 3,440	\$ 3,513	\$ 3,513

**Accessories - Add As Suffix to Model Number**

End Switches	-S \$ 176	3 - 15 psi Modulating Applications Pilot Positioner	-P \$ 498
--------------	--------------	-----------------------------------------------------------	--------------

-P Applications Are Shipped Without Solenoid

**Pneumatic Rack And Pinion Fail Open 80 psi Actuators**  
**With 120 VAC Actuator Mounted Solenoid Air Valve**

Size	Body PSI	Valve Model Prefix	Close Off Against			
			50 PSI	100 PSI	150 PSI	200 PSI
			0083/3	0083/3	0083/3	0083/3
2.0	300	VIC-020-2-	\$ 774	\$ 774	\$ 774	\$ 774
2.5	300	VIC-025-2-	\$ 837	\$ 837	\$ 837	\$ 837
3.0	300	VIC-030-2-	\$ 851	\$ 851	\$ 851	\$ 851
			0083/4	0083/4	0092/4	0092/4
4.0	300	VIC-040-2-	\$ 965	\$ 965	\$ 1,051	\$ 1,051
5.0	300	VIC-050-2-	\$ 1,292	\$ 1,292	\$ 1,378	\$ 1,378
			0118/3	0118/3	0118/3	0118/3
6.0	300	VIC-060-2-	\$ 1,492	\$ 1,492	\$ 1,492	\$ 1,492
			0118/3	0118/4	0118/4	0118/4
8.0	300	VIC-080-2-	\$ 1,730	\$ 1,783	\$ 1,783	\$ 1,783
			0160/2	0160/2	0160/3	0160/3
10.0	300	VIC-010-2-	\$ 2,608	\$ 2,608	\$ 2,671	\$ 2,671
			0160/4	0210/2	0210/2	0210/3
12.0	300	VIC-120-2-	\$ 2,929	\$ 3,367	\$ 3,367	\$ 3,440

**Accessories - Add As Suffix to Model Number**

End Switches	-S \$ 176	3 - 15 psi Modulating Applications Pilot Positioner	-P \$ 498
--------------	--------------	-----------------------------------------------------------	--------------

-P Applications Are Shipped Without Solenoid

## ***Electric or Pneumatic Actuated Victaulic Grooved End Valves***



### **Victaulic Vic-300 Butterfly Valve**

- 300 psi – Bi-Directional
- 360 Degree Bubble Tight Seal
- Offset Disc With Two Piece Stem
- 2" – 12" Sizes for HVAC Systems
- EPDM Seats for Temps to 230 F
- Other Seats Available for Other Services

### **BRAY – Field Proven Actuation**

- Electric - Bray Series 70
- Low Profile NEMA 4 Actuators
  - 120 VAC 2 Position or Modulating
  - De-Clutching Manual HW Override
  - High Visibility Indicator

- Pneumatic – Bray Series 92/93
- Double Acting or Spring Return
  - 2 Position or Modulating
  - High Torque / Integral Travel Stops
  - Internal Porting / Shaft Indicator
  - Many Accessories Available

Grooved end fittings require no welding to install. They have become popular labor saving devices preferred by many piping contractors. The Vic - 300 is a high pressure valve designed to mate directly to grooved end pipe.

It eliminates the need for the adaption flanges that are required when lugged valves are placed into a grooved pipe system. The elimination of lugged flanges also allows for infinite flexibility in valve orientation.

The valves are mated to either electric or pneumatic actuators. The assembled product is then tested to assure proper operation in the field.